Notes 2.3 – Intro to Properties of Logarithms

Warmup - Find the value for each logarithm.

- $\log_5 625 = 4$ 1.
- 2.
- $\log_5 0.2 = -$ 3. $\log_x x^7 = 7$

Answer the questions about each graph.


What is the value of x when f(x) = 0? 4.

What is the value of x when f(x) = 1

What is the value of f(x) when x = 2?

What will be the value of x when f(x) = 4?

What is the equation of the graph?




What is the value of x when f(x) = 0? 5.

What is the value of x when f(x) = 1

What is the value of f(x) when x = 9?


What will be the value of x when f(x) = 4?


What is the equation of the graph?



Investigation

Graph the function $f(x) = \log_2(x+2)$






Can we distribute the logarithm across the parenthesis to be $f(x) = \log_2 x + \log_2 2$? How can we check if that works?

They are not the same thing.


The graph below is the function $f(x) = \log_2(4x)$. Draw the graph of $f(x) = \log_2 x$ on the same graph. What do you notice?

The graph is a vertical shift up of 2.



$$f(x) = \log_2 x + 2 \text{ gives the same graph.}$$

$$f(x) = \log_2 x + \log_2 4$$



 $f(x) = \log_2(16x)$ is below.


Equivalent equation: $f(x) = \log_2 x + 4$ $f(x) = \log_2 x + \log_2 16$



How can we write a log in the form $f(x) = \log_b(mn)$ as the sum of two logs?

Do you think that dividing inside a log would have a similar relationship?

Below is the graph of $f(x) = \log_2\left(\frac{x}{4}\right)$, draw the graph of $f(x) = \log_2 x$ on the same graph and compare.




What do you notice?

The graph shifts down instead of up

$$f(x) = \log_2 x - 2$$

 $f(x) = \log_2 x - \log_2 4$

 $f(x) = \log_2\left(\frac{x}{8}\right)$ is below.



What is the general form for division inside a logarithm?

Using what we learned about multiplying within a logarithm, how can you rewrite this logarithm?

$$f(x) = \log_2(x^3) \rightarrow f(x) = \log_2(x \cdot x \cdot x)$$

$$\rightarrow f(x) = \log_2(x \cdot x \cdot x)$$

Logarithm Properties

Property	Rule
Log of a Product	logb (mn) = logb m + logb n
Log of a Quotient	logb(m) = logbm - logbn
Log of a Power	$log_b(m^n) = n \cdot log_b m$

How are log properties similar to the rules for exponents?

when multiplying with a common base, add the exponents when dividing with a common base, subtract the exponents when raising to a power, multiply the exponents